

AC 110

Cummins
Mecc Alte
P 602



ISO8528

GC ;) &

SZUTEST

GC - \$\$\$

CE

2000/14/EC

&\$\$\$#(#

ž) \$' ž' \$ž 'D:

	"	"	"	"	Amp
400/230	110,00	88,00	100,00	80,00	144,00

fP GDE

GC ;) &

) & ž

fDF DE

ž&(

GC

ALTERNATOR

TRANSFER SWITCH

AC 110

Cummins
Mecc Alte
P 602

Manufacturer		Cummins		
Model		6BTA 5,9-G5		
		% \$\$\$' "# "		
		%&Z\$\$' "		
		0% +Z\$\$<DQ		
	L	5,900		
	"	102 x 120		
		17,6:1		
	fl # ı	"# "	1500	
	fl ı	L	16,40	
		L	19,80	
AbsorbedAirDischargeReSourceKey.Text	' # "	7,86		
	' # "	216,00		
	' # "	21,42		
	° C	533,00		
		12 V d.c.		
	Load	\$\$\$ı	'+)ı)\$ı
	# "	25,00	18,00	12,00

		Mecc Alte		
		ECP34 - 2S/4		
	Hz	50		
	"	105,00		
7 cg'		0,80		
		3		
	fl ı	400/230		
Temperature		H		

		fl ı		fl ı	
	"	"	"	"	L
AC 110	1250,00	2150,00	1050,00	1563,00	240,00
		fl ı		fl ı	
	"	"	"	"	L
AK 40	1600	3100	1057	1670	240

AC 110

Cummins
Mecc Alte
P 602

D '* \$&!'



- 1 A U]b'gUhi g'X]gd'Um'
- 2 8]gd'UmgWc''Vi hrcb''
- 3 DU[Yf]bZcfa UhjcbE'Vi hrcb''
- 4 7 ca a cb U'Ufa]bX]WUrcf''
- 5 GHUhi g'@98fg''
- 6 C dYfU]hcb'gY'YW]b['Vi hrcbg''

- 1
- 2
- 3
- 4

8G9ža cXY''\$&\$'5i hē A U]bg': U]i fY Vēbffc''a cXi 'Y"
6UHfymWUf[Yf]bdi h%, !&*(j c'hžci rdi h''&+ž' J) '5'f&(J'ēcf%' ž' J c'h) 5'f&&J ē
9a Yf[YbW]hrcd' di g\ 'Vi hrcb'Ubx Ž gYg ZcfVēbffc''V]fW]rg''

7 ca dcbYbrg]bghU''YX]b'g\YYhg'HY''YbWcgi fy''D\cgd\UfY'WYa]W'ždfY!VēU]b['cZghYY''dfcj]XYg Vēffcg]cb
fYg]hUbhgi fZUW''Dc'mYgYfVēa dcg]Y' dck XYf'rcdVēUhZcfa g'\ [\ ['cgg'Ubx'Yi fY'a Y'mXi fUV'Y Ž]b]g\''@cW\UV'Y
Ubx\]b[YX dUby''Xccf' dfcj]XYg YUgmUWV]gg hē ''Vēa dcbYbrg''

'7 cbffc''dUby'']g'a ci bHYX'cb VUgYZUa Y k]h' ghYY''ghUbx''@cW]YX'Uhih'Y'f[\ h]g]XY'cZh'Y [YbYfUrcf'gYhfk \Yb'nci
'cc_'Uhih'Y; Yb''GYH'Zca '5'fYfbUrcfē

H\Y''8G9''\$&\$]g'U'ghUbxUfX Vēbffc''a cXi 'Y Zc'ci f [YbYfUrcf'gYhg'i d'hc'&\$\$_J 5 'Ubx'ih\Ug'VYYb'XYg][bYX'hc
ghUfhUbx'ghrcd'X]YgY' Ubx' [Ug[YbYfUrcf'gYhg''H\Y'8G9''\$&\$'a cXi 'Y\Ug'VYYb'XYg][bYX'hc'a cb]rcf [YbYfUrcf
Z]ei YbVēžj c'žW'fYbžYb[]bY'c' d'fYggi fYžVēc'UbhY'a dYfUhi fY'fi bb]b[\ci fg'Ubx' VU]HY'f]mj c'g]''A cXi 'Y
a cb]rcf'g'h'Y'a U]bg'gi dd'mUbx'gk]h'W'c] Yf'hc'h'Y [YbYfUrcf'k \Yb'h'Y'a U]bg'dck Yf'ZU]g''H\Y'8G9''\$&\$'U'gc
]bX]W]Yg'cdYfU]hcbU'ghUhi g'Ubx'Zji 'hVēbX]h]cbgž5i hca U]h'W'm]g\i h]b['Xck b'h'Y; Yb''GYhUbx' []]b['f'i Y'Z]fghi d
Zji 'hVēbX]h]cb'cZ; Yb''GYhZ]ji fY''H\Y'@7 8 X]gd'Um]bX]W]Yg'h'Y'Zji 'h'

A]WēdfcW'ggcf'Vēbffc''YX"
@7 8 'X]gd'Uma U_Yg]bZcfa Uhjcb 'YUgmhc'fYUX"
(!']bYž*(1 '% &d] Y'X]gd'Um'

5i hca U]h'W'mifUbgZ]fg'VYh'YYb'a U]bg'fi h]h'hc'Ubx' [YbYfUrcf'dck Yf'
A Ubi U'dfc[fUa a]b['cb'ZcbhdUby''
I gYf]Z]Ybx'mgYhi d'Ubx'Vi hrcb''Unci h'
F Ya cH' ghUf'f'
9j Ybh'c[[]b['f] h]g\ck]b['XUfY'Ubx'h'a Y"
7 cbffc'g' Ghcd#f YgYž'A Ubi U'ž5i hēžHYg]žGHUf]žVi hrcbg''5b'UXX]h]cbU'di g\ 'Vi hrcb'byI hrc'h'Y @7 8 'X]gd'Um]g
i gYX'hc'gWc''h'fci [\ h'Y'a cXi 'Ygfa YH]f]b['X]gd'Umg'

AC 110

Cummins
Mecc Alte
P 602

9B: #9
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUVY' hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B' "
7i ffYbhf@&!@ ' "
: fYei YbVW"
A 5-BG
J c' hU[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn"
A U]bg'YbUV'YX"
; Yb"GYhfYUXn"
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #] [\ j c' hU[Y"
: U] 'hc' ghcd"
@ck #] [\ [YbYfUhc'f j c' hU[Y"
I bXYf#j Yf [YbYfUhc'f ZYei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<] [\ V'c' UbhY'a dYfUhi fY"
G<I H8CK BG
: U] 'hc' gHfH"
9a Yf [YbVW'ghcd"
@ck c]'dfYggi fY"
<] [\ V'c' UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf [YbYfUhc'f ZYei YbVW"
I bXYf#j Yf [YbYfUhc'f c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF -D
: YbYfUhc'f j YfW ffYbh"


: 'YI J'V'Y'gYbgcf'WVb VY V'c'bfcc'YX'k]h' h'Ya dYfUhi fYz
dfYggi fYz dYfVW'bhU[Y f'k Ufb]b[#]i h'Xck b# 'YVW'VW' h'f'dL
@c'W'gYh]b['dUfUa YHfg'UbX'a cb]h'f]b['Zca 'D7' hc
V'c'bfcc' a cXi 'Y'k]h' I G6 V'c'bbYVW'cb'fa Ul '* 'a H'

9'YVW'VW' GUZYhm#9A 7 V'c'a dUfV']hm6G'9B '* \$-) \$
9'YVW'VW' Vi g]bYgg'Yei]da Ybh
6G'9B '*%\$!*&9A 7]a a i b]mighUbXUfX"
6G'9B '*%\$!*('9A 7 Ya]gg]cb'ghUbXUfX

'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h' 'gk]h'W]b[!a cXY'UbX'GA 8 'YVW'bc'c[mUbX'ih\Ug\] [\ YZ]VW'VW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUW'f]gh]W]g'j YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g']'Ua dYfz% z']'Zcf'%&j'c'hUbX'&+Z']'Zcf'&'(' "
#bdi h% , ' !&* (j c'h57 "'Dfc]bY'&(\$) \Ug'Z' mci hdi hg\chVW]hdfchVW]cb'UbX'ihVWb'VY' i gYX'Ug'U'W'ffYbhgci fVW"
Dfc]bY'&(\$)' VUf[Yf\Ug\] [\ YZ]VW'VW'cb["]Z'Z' 'ck ZU]i fY'fUfYz'] [\ hk Y] [\ hUbX' 'ck \YUhfUX]UfYX']b
UVW'cfXUbW'k]h']'bYUf'U'fYbUf] Yg' H\Y'VUf[Yf]g'Z]h'YX'k]h' U'dfchVW]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[Y'Z]
fY'UmV'c] VYhk YYb'dcg]h] Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei]ddYX'k]h' F: =Z]h'f'hc'fYXi VV'Y'YVW'VW'bc]gY'fUX]UfYX
Zca 'h'Y'XY'jVW"; Uj Ub]W' m]gc'UfYX']bdi hUbX'ci hdi h]m]VW'm(_J'Zcf'\] [\ fY']UV']]m'

AC 110

Cummins
Mecc Alte
P 602



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Sump drains valves
- 6 Sound proof foam material
- 7 Lifting Points

	"	1057
fl "L	"	3100
fl "L	"	1670
	L	240